INDEX

Page

Actinomyces scabies, cause of scab disease of potato 305, 315
Agropyron spicatum, utilization, percentage of, determination methods 753–765
Albumen, variations in eggs of different breeds of chickens 771–776
Alfalfa—
  fresh, use in diets for growing chicks, experiments 562, 565, 567
  hay. *See* Hay, alfalfa.
  leaf meal—
    source of vitamin A for growing chickens. Burt W. Heywang and Harry W. Titus 559–569
    value as supplement for hegari in feeding farm animals 137–138, 143, 144, 145
  products, feeding to growing chickens, studies 559–569
ALLARD, H. A., and MAGRUDER, ROY: Bulb Formation in Some American and European Varieties of Onions as Affected by Length of Day 719–752
Amino acids, value as supplement to hegari in feeding farm animals 138–140, 145
Ammonium caseinate emulsion, deposits on plant foliage and on paraffin-coated plates, comparison 390, 395–396
ANDRUS, C. F., and HARTER, L. L.: Organization of the Unwalled Ascus in Two Species of *Ceratostomella* 19–46
Animals—
  farm, feeding, supplemental value of certain protein concentrates used, and biological value of proteins in hegari. Margaret Cammack Smith and Gladys Roehm 135–146
  predatory, effect on field-mouse populations 786–787
Apple—
  spurs—
    chemical analyses, data 868–873
    chemical analysis, methods 865–866
    fruit setting, correlation with chemical composition 864, 874
  trees—
    carbon dioxide utilization, determination 322, 324, 326, 330–333
    ringing, effect on setting of fruit 866–867, 874
Apples, Grimes Golden, carbohydrate and nitrogen content, relation to ringing and fruit setting. Laurenz Greene 863–875
Aristida spp., height growth and tuft area, influence of rainfall upon in southern Arizona, experiments 111–121
Arizona, southern, influence of rainfall upon tuft area and height growth of three semi-desert range grasses in. Paul B. Lister and Francis X. Schumacher 109–121
Armyworm, southern, digestive enzymes in. Frank H. Babers and P. A. Woke 547–450
Artemisia tripartita, utilization, percentage of, determination methods 753–765
Ascorbic acid content of numerous citrus fruits. Esther Peterson Daniel and Marjorie B. Rutherford 689–693
Ascus, unwalled, organization in two species of *Ceratostomella*. C. F. Andrus and L. L. Harter 19–46
ATANASOFF, J. V., and WILCKE, H. L.: Measurement of the Viscosity of Eggs by the Use of a Torsion Pendulum 701–709
Avocado fruits, chemical composition. A. R. C. Haas 669–687

BABERS, FRANK H., and WOKE, P. A.: Digestive Enzymes in the Southern Armyworm 547–550
Baboon, sexual cycle, analysis of variation, statistics 418, 422, 427–431

Page

Bacterial leaf spot of begonia. Lucia McCulloch 583–590
Bacterium flarozonatum, n. sp.—
  cause of leaf spot of begonia 589
  technical description 589
Barley—
  chemical composition and nutritive value as affected by plant maturity 401–413
  cold resistance in transition from dormancy to active growth. H. H. Laude 899–917
  fertilization, time factor in. Merritt N. Pope 525–529
  growth, effect of *Puccinia glumarum* on, experiments 377–384
  pollen-tube growth, time factor in. Merritt N. Pope 525–529
  stripe rust, influence on growth, water economy, and yield. Wayne M. Bever 375–385
BAROTT, H. G., and PRINGLE, EMMA M.: Effect of Incubation Temperature on Time of Death of Chick Embryo and Relationship of Energy Metabolism to Mortality 465–468
BARTHOLOMEW, E. T., and SINCLAIR, W. B.: Diastatic Activity of Orange Leaves as Affected by Time, Temperature, pH, and Certain Zinc Salts 609–619
BEACH, B. A., and HASTINGS, E. G.: The Production of Milk of Abnormal Composition by Animals Free from Udder Streptococci 199–220
BEASLEY, J. O., and REEVES, R. G.: Localization of Pentosans in the Resin Glands of the Cotton Embryo 711–718
Bees—
  colony populations, influence on honey production. C. L. Farrar 945–954
  diet, protein-free, effect on weight changes and nitrogen content of adult workers. Mykola H. Haydak 791–796
Beet, sugar. *See* Sugar beet; Sugar beets.
Begonia, bacterial leaf spot—
  Lucia McCulloch 583–590
  causal organism 586–589
  description 585–589
BENNETT, C. W.: Correlation between Movement of the Curly Top Virus and Translocation of Food in Tobacco and Sugar Beet 479–502
Bentonite emulsion deposits on plant foliage and on paraffin-coated plates, comparison 390, 395–397
Beta vulgaris. *See* Sugar beet; Sugar beets.
BEVER, WAYNE M.: Influence of Stripe Rust on Growth, Water Economy, and Yield of Wheat and Barley 375–385
BITANCOURT, AGESILAU A., and JENKINS, ANNA E.: Sweet Orange Fruit Scab Caused by *Elsinoë australis* 1–18
Blackberries—
  rosette disease of. A. G. Plakidas 275–303
  spraying for control of rosette disease 288–291
  wild, pruning for control of rosette disease 291–293
Blood, virus, distribution of hog-cholera virus among fractions of. Wilmer C. Powick 221–233
Blueberry, varieties susceptible to mosaic disease 278–279
Bluegrass, Kentucky, percentage in pastures, relation to soil composition in West Virginia 878–895
Bone-glue emulsions, deposits on plant foliage and on paraffin-coated plates, comparison 389, 390–391, 395, 396
BONNETT, O. T.: The Development of the Oat Panicle 927–931
Bouteloua—
  eripoda, height growth and tuft area, influence of rainfall upon, in southern Arizona, experiments 111–121

Bouteloua—Continued. Page
rothrockii, height growth and tuft area, influence of rainfall upon in southern Arizona, experiments 111-121
BRADSHAW, M. A., and HOFFMAN, E. J.: Losses of Organic Substance in the Spontaneous Heating of Alfalfa Hay 159-184
Bremia lactucae, cause of downy mildew of lettuce 365
Buckwheat, carbon dioxide utilization, determination 322, 339
Bull, infertile service, effect on cow 420-421

Cabbage, selenium and sulphur content, determinations 602-608
Cabinet, humidity- and temperature-control, for growing plants. C. O. Grandfield and Frank J. Zink 503-508
Calceolaria hybrid, carbon dioxide utilization, determination 322, 338
Calcium content of avocado fruits, experiments 675
Capsicum frutescens, transition region, anatomy and histology. H. L. Cochran and F. F. Cowart 695-700
Carassius auratus, for demonstration of relative toxicity of cresols, tests with. W. A. Gersdorff 469-478
Carbohydrate—
content of Grimes Golden apple spurs, determination 869-871
pure, in diet, feeding to bees of known age, experiments 791-795
Carbon dioxide exchange rhythm and fruitfulness in plants of different reproductive habits. R. H. Roberts, James E. Kraus, and Norman Livingston 319-243
CASIDA, L. E., and CHAPMAN, A. B.: Analysis of Variation in the Sexual Cycle and Some of Its Component Phases, with Special Reference to Cattle 417-435
Cattle—
infertile service, effects 420-421
sexual cycle and some of its component phases, analysis of variation in. A. B. Chapman and L. E. Casida 417-435
Cauliflower, selenium and sulphur content, determinations 602-608
Celery, carbon dioxide utilization, determination 322, 333, 336
Ceratostomella—
binucleate condition, origin 21-23
cell divisions previous to ascus formation 23-29
fimbriata, organization of unwalled ascus in 32-33, 34, 36, 37-44
moniliformis, organization of unwalled ascus in 30-32, 33-34, 35, 36-37, 38-44
nuclear structure and nuclear fusion 30
two species of, organization of unwalled ascus in. C. F. Andrus and L. L. Harter 19-46
ulmi—
mass isolates, variation in. James M. Walker 509-523
monoconidium progenies, variation in. James M. Walter 509-523
Cercosporella rubi comb. n.—
effect of temperature on 283-285
histological studies 296-301
infection—
cycle 285
of blackberries and dewberries, control by pruning, experiments 291-293
of blackberries and dewberries, control by spraying 288-291
pathogenicity 285-288
"systemic" infection, description 294-295
technical description 280-283
time of infection 293-294, 302
Cereal—
hays. *See* Hays, cereal.
plants, vegetative stages in relation to chemical composition 402-409
See also under specific name.
Cereals—
selenium and sulphur content, determinations 602-608

Cereals—Continued. Page
winter—
cold resistance in transition from dormancy to active growth 899-915
water content of plants 909-911
CHAIKEN, LEON E., MACKINNEY, ARLAND L., and SCHUMACHER, FRANCIS X.: Construction of Yield Tables for Nonnormal Loblolly Pine Stands 531-545
CHAPMAN, A. B., and CASIDA, L. E.: Analysis of Variation in the Sexual Cycle and Some of Its Component Phases, with Special Reference to Cattle 417-435
Chick embryo, mortality, relation of energy metabolism to, and effect of incubation temperature on time of death. Emma M. Pringle and H. G. Barott 465-468
Chickens—
breeds of, variations in egg-quality characters in. A. Van Wagenen, G. O. Hall, and H. S. Wilgus, Jr. 767-777
egg-quality characters, variations, studies 767-776
growing, alfalfa leaf meal as source of vitamin A for. Burt W. Heywang and Harry W. Titus 559-569
strains of, variations in egg-quality characters in. A. Van Wagenen, G. O. Hall, and H. S. Wilgus, Jr. 767-777
varieties of, variations in egg-quality characters in. A. Van Wagenen, G. O. Hall, and H. S. Wilgus, Jr. 767-777
Chicks, feeding vitamin G supplements, experiments 563-566, 569
Chinch bug, toxicity of certain insecticides to. Charles H. Richardson, Christian C. Deonier, and William A. Simanton 59-78
Chlorine content of avocado fruits, experiments 680, 681-684
Cholera, hog, virus, distribution among fractions of virus blood. Wilmer C. Powick 221-233
Chromosomes—
knobs on, characteristics 853-861
sorghum, morphological characters, description 853
teosinte, morphological characters. A. E. Longley 835-862
Tripsacum spp., morphological characters 852-853
univalent, behavior during meiosis and failure of diakinesis and metaphase pairing in *Zea mays*. LeRoy Powers and A. O. Dahl 655-668
Citrus—
fruits, numerous, ascorbic acid content. Esther Peterson Daniel and Marjorie B. Rutherford 689-693
hybrids, ascorbic acid content, study 689-693
leaves, diastatic activity of, effect of zinc salts, studies 615-616, 617
species and varieties affected by sweet orange fruit scab in Brazil 2
Climate—
effect on—
field-mouse populations 786
timber-growth fluctuations. Francis X. Schumacher and H. Arthur Meyer 79-107
relation to growth, reproduction, feeding, and wing development of mealy plum aphid. Leslie M. Smith 345-364
Clover—
leaf spot disease, description 591-592
red, leaf spot disease. Oliver F. Smith 591-599
species, susceptibility to leaf spot fungus, infection experiments 598
white—
leaf spot disease. Oliver F. Smith 591-599
percentage in pastures, relation to soil composition in West Virginia 878-895
Clovers, leaf spot fungus—
pathological histology 593-595
relation to environment 597-598
technical description 592
COCHRAN, H. L., and COWART, F. F.: Anatomy and Histology of the Transition Region in *Capsicum frutescens* 695-700
Cod-liver oil, comparison with ultraviolet irradiation as source of vitamin D for confined laying hens. Ralph B. Nestler 571-582

Page

Cold resistance of winter wheat—
comparison of several varieties in transition from dormancy to active growth. H. H. Laude ... 919-926
rye, barley, and oats in transition from dormancy to active growth. H. H. Laude ... 899-917
CONNER, H. A., PETERSON, W. H., and RIKER, A. J.: The Nitrogen Metabolism of the Crown Gall and Hairy Root Bacteria ... 621-628
Copper content of avocado fruits, experiments ... 679
Corn—
gluten meal supplement for protein in rations, relative efficiency for growing lambs. John I. Miller, F. B. Morrison, and L. A. Maynard ... 437-448
in rations for growing lambs, protein supplements with ... 438-448
meiosis, failure of diakinesis and metaphase pairing and behavior of univalent chromosomes during. LeRoy Powers and A. O. Dahl ... 655-668
Ottawa flint, carbon dioxide utilization, determination ... 341
selenium and sulphur content, determination ... 602-608
susceptibility to *Pythium arrhenomanes*, experiments ... 818-820
See also Maize.
Cosmos, Klondike, carbon dioxide utilization, determination ... 322, 336, 337
Cotton embryo, pentosans, localization in resin glands. R. G. Reeves and J. O. Beasley ... 711-718
Cottonseed meal, value as supplement for hegari in rations ... 137-138, 141, 142, 144-145
Cow udders, *Streptococcus agalactiae* in, effect on milk composition ... 199-220
COWART, F. F., and COCHRAN, H. L.: Anatomy and Histology of the Transition Region in *Capsicum frutescens* ... 695-700
Cows—
dairy, chronic mastitis in, investigations ... 200-220
free from udder streptococci, production of milk of abnormal composition. E. G. Hastings and B. A. Beach ... 199-220
COX, GERTRUDE M., and SNEDECOR, GEORGE W.: Analysis of Covariance of Yield and Time to First Silks in Maize ... 449-459
Cresols—
relative toxicity as demonstrated by tests with *Carassius auratus*. W. A. Gersdorff ... 469-478
toxicity, tests ... 469-476
CRESSMAN, A. W., DAWSEY, LYNN H., and HILEY, JULIAN: The Relative Quantities of Oil Deposited upon Paraffin-Coated Plates and upon Plant Foliage by Oil Sprays ... 387-398
Crop plants, selenium absorption, relation to their sulphur requirement. Annie M. Hurd-Karrer ... 601-608
Crown gall—
nitrogen metabolism of. H. A. Conner, W. H. Peterson, and A. J. Riker ... 621-628
organism, changes induced in various media ... 622-626
Cruciferae, selenium and sulphur content, determination ... 602-608
Curly top virus, movement—
correlation with translocation of food in tobacco and sugar beet. C. W. Bennett ... 479-502
in sugar beet, effect of defoliation and darkness on ... 489-496, 497-498, 499-501
in tobacco, effect of defoliation and darkness on ... 485-489, 497-501
upward and downward in tobacco stems, rate ... 482-485, 497-501
Cystine, value as supplement to hegari in feeding farm animals ... 138-140, 145

DAHL, A. O., and POWERS, LEROY: Failure of Diakinesis and Metaphase Pairing and the Behavior during Meiosis of Univalent Chromosomes in *Zea mays* ... 655-668

Page

DANIEL, ESTHER PETERSON, and RUTHERFORD, MARJORIE B.: Ascorbic Acid Content of a Number of Citrus Fruits ... 689-693
Danthonia, percentage in pastures, relation to soil composition in West Virginia ... 878-895
Darkness, effect on invasion of plants by curly top virus ... 488-489, 490-493, 497-501
DARLING, HENRY M.: A Study of Scab Resistance in the Potato ... 305-317
DAWSEY, LYNN H., CRESSMAN, A. W., and HILEY, JULIAN: The Relative Quantities of Oil Deposited upon Paraffin-Coated Plates and upon Plant Foliage by Oil Sprays ... 387-398
Day length—
effect on bulb formation in some American and European varieties of onions. Roy Magruder and H. A. Allard ... 719-752
See also Photoperiodism.
DEONIER, CHRISTIAN C., RICHARDSON, CHARLES H., and SIMANTON, WILLIAM A.: The Toxicity of Certain Insecticides to the Chinch Bug ... 59-78
Derris extracts, toxicity to chinch bug, experiments ... 62-63, 68-70, 73
Dewberries—
rosette disease of. A. G. Plakidas ... 275-303
spraying for control of rosette disease ... 288-291
varieties susceptible to mosaic disease ... 278-279
wild, pruning for control of rosette disease ... 291-293
Diastatic activity of orange leaves, effect of time, temperature, pH, and certain zinc salts. W. B. Sinclair and E. B. Bartholomew ... 609-619
Diet, protein-free, effect on weight changes and nitrogen content of adult worker bees. Mykola H. Haydak ... 791-796
Diets for laying hens, effect on production and quality of eggs ... 573-582
Downy mildew. *See* Mildew, downy.
Dutch elm disease. See *Ceratostomella ulmi*.

Egg—
albumen—
index, relationship with yolk index and percentage of firm white. Victor Heiman and L. A. Wilhelm ... 551-557
variations with different breeds ... 771-776
firm white, percentage of, relationship between yolk and albumen indexes. Victor Heiman and L. A. Wilhelm ... 551-557
production, trap-nest records of, criterion for testing ... 461-464
quality—
characters, variations in certain breeds, varieties, and strains of chickens. A. Van Wagenen, G. O. Hall, and H. S. Wilgus, Jr. ... 767-777
measurements, relationship between, determination ... 551-557
yolk index, relationship with percentage of firm white and albumen index. Victor Heiman and L. A. Wilhelm ... 551-557
Eggs—
abnormalities, variations with breeds of chickens, study ... 768-769, 773-774
incubation studies ... 465-468
relationship between yolk index, percentage of firm white, and albumen index. Victor Heiman and L. A. Wilhelm ... 551-557
shell strength, variations with different breeds, study ... 768-770, 773, 774-776
viscosity, measurement by use of a torsion pendulum. J. V. Atanasoff and H. L. Wilcke ... 701-709
weight and production, relation to source of vitamin D supplied to hen ... 573-582
ELLIOTT, CHARLOTTE, MELCHERS, L. E., LEFEBVRE, C. L., and WAGNER, F. A.: Pythium Root Rot of Milo ... 797-834
Elsinoë australis—
cause of sweet orange fruit scab. Agesilau A. Bitancourt and Anna E. Jenkins ... 1-18
inoculation experiments on various fruits ... 13-15, 16
isolations and cultural comparisons ... 9-11
saltations, cause and description ... 11-12
temperature relations in culture ... 12-13

Page

Energy metabolism of chick embryo, relation to mortality and effect of incubation temperature on time of death. Emma M. Pringle and H. G. Barott 465–468
Enzymes, digestive, in southern armyworm. Frank H. Babers and P. A. Woke 547–550
Euchlaena spp. *See* Teosinte.

FABIAN, F. W., and WICKERHAM, L. J.: Products of Fermentation of the S and R Forms of Yeasts 147–158
Farm animals, feeding, supplemental value of certain protein concentrates used, and biological value of proteins in hegari. Margaret Cammack Smith and Gladys Roehm 135–146
FARRAR, C. L.: The Influence of Colony Populations on Honey Production 945–954
Fat content of avocado fruits, experiments 672
Feeds for farm animals, biological value of proteins in hegari and supplemental value of certain protein concentrates 135–145
Fermentation products of yeast forms, S and R. F. W. Fabian and L. J. Wickerham 147–158
Fertilizers—
  influence on keeping quality of sugar beets. 186–197
  nitrogenous, function in fructification stage of sugar beet 639–653
Fish-oil soap emulsions, potassium—
  deposits on plant foliage and on paraffin-coated plates, comparison 390, 394–395
  toxicity to chinch bug, experiments 62–65, 70, 71–72
Flax, selenium and sulphur content, determinations 602–608
Florida, teosinte of, chromosomes, morphological characters 839–843
Foliage of plants, quantities of oil deposited on by oil sprays as compared with quantities on paraffin-coated plates. Lynn H. Dawsey, A. W. Cressman, and Julian Hiley 387–398
Forage grasses—
  growth, effect of rainfall upon in southern Arizona, studies 109–121
  utilization, percentage of, determination methods 753–765
Forest trees. *See* Trees, forest.
Fruits, citrus—
  numerous, ascorbic acid content. Esther Peterson Daniel and Marjorie B. Rutherford 689–693
  See also under specific kinds.

Geranium, carbon dioxide utilization, determination 322, 338, 339
GERSDORFF, W. A.: Relative Toxicity of the Cresols as Demonstrated by Tests with *Carassius auratus* 469–478
Goldenglow, carbon dioxide utilization, determination 322, 338–339
Goldfish, toxicity of cresols to, comparison 467–476
Grama—
  black, height growth and tuft area, influence of rainfall upon in southern Arizona, experiments 111–121
  Rothrock, height growth and tuft area, influence of rainfall upon in southern Arizona, experiments 111–121
GRANDFIELD, C. O., and ZINK, FRANK J.: A Humidity- and Temperature-Control Cabinet for Growing Plants 503–508
Grapefruit, ascorbic acid content, comparison with other citrus fruits 689–693
Grass, three-awn, height growth and tuft area, influence of rainfall upon in southern Arizona, experiments 111–121
Grasses—
  range, percentage utilization of, comparison of some methods used in determining. Joseph F. Pechanec and G. D. Pickford 753–765
  semidesert range, tuft area and height growth of, influence of rainfall upon in southern Arizona. Paul B. Lister and Francis X. Schumacher 109–121
GREENE, LAURENZ: Ringing and Fruit Setting as Related to Nitrogen and Carbohydrate Content of Grimes Golden Apples 863–875

Page

Guatemala, teosinte of, chromosomes, morphological characters 843–845

HAAS, A. R. C.: Chemical Composition of Avocado Fruits 669–687
Hairy root—
  bacteria, nitrogen metabolism of. H. A. Conner, W. H. Peterson, and A. J. Riker 621–628
  organism, changes induced in various media 622–626
HALL, G. O., VAN WAGENEN, A., and WILGUS, H. S., JR.: Variations in Egg-Quality Characters in Certain Breeds, Varieties, and Strains of Chickens 767–777
HAMILTON, W. J., JR.: The Biology of Microtine Cycles 779–790
HARTER, L. L., and ANDRUS, C. F.: Organization of the Unwalled Ascus in Two Species of *Ceratostomella* 19–46
HASTINGS, E. G., and BEACH, B. A.: The Production of Milk of Abnormal Composition by Animals Free from Udder Streptococci 199–220
Hay—
  alfalfa—
    spontaneous heating, losses of organic substance in. E. J. Hoffman and M. A. Bradshaw 159–184
    storage, loss of hay substance during, experiments 163–172, 176–177
  timothy, in rations for growing lambs, protein supplements with 439–443
HAYDAK, MYKOLA H.: Changes in Weight and Nitrogen Content of Adult Worker Bees on a Protein-Free Diet 791–796
Hays, cereal—
  chemical composition and nutritive value as affected by plant maturity. Jerry Sotola 399–415
  feeding to lambs, digestion studies 409–412
  nutritive value, studies 401–413
Heating, spontaneous, of alfalfa hay, losses of organic substance in. E. J. Hoffman and M. A. Bradshaw 159–184
Hegari, proteins in, biological value, and supplemental value of certain protein concentrates used in farm animal feeding. Margaret Cammack Smith and Gladys Hartley Roehm 135–146
HEIMAN, VICTOR, and WILHELM, L. A.: Relationship between Yolk Index, Percentage of Firm White, and Albumen Index 551–557
HENDRICKS, WALTER A.: A Criterion for Testing the Accuracy of Trap-Nest Records 461–464
Hens, laying, confined, vitamin D for, comparison of cod-liver oil and ultraviolet irradiation as sources. Ralph B. Nestler 571–582
HEYWANG, BURT W., and TITUS, HARRY W.: Alfalfa Leaf Meal as a Source of Vitamin A for Growing Chickens 559–569
HILEY, JULIAN, DAWSEY, LYNN H., and CRESSMAN, A. W.: The Relative Quantities of Oil Deposited upon Paraffin-Coated Plates and upon Plant Foliage by Oil Sprays 387–398
HOFFMAN, E. J., and BRADSHAW, M. A.: Losses of Organic Substance in the Spontaneous Heating of Alfalfa Hay 159–184
Hog-cholera virus, distribution among fractions of virus blood. Wilmer C. Powick 221–233
Honey production, influence of colony populations on. C. L. Farrar 945–954
Horse, sexual cycle, analysis of variation, statistics 418, 422, 423, 425, 427–429
Humidity—
  control cabinet for growing plants. C. O. Grandfield and Frank J. Zink 503–508
  relation to—
    development of mealy plum aphid 348–352
    growth and infection of clover leaf spot fungus 598
    relative, control equipment for growing plants 504
HURD-KARRER, ANNIE M.: Selenium Absorption by Crop Plants as Related to Their Sulphur Requirement 601–608
Hyalopterus pruni. *See* Plum aphid, mealy.

Page

Incubation temperature, effect on time of death of chick embryo and relationship of energy metabolism to mortality. Emma M. Pringle and H. G. Barott ... 465–468
Insecticides, certain, toxicity to chinch bug. Charles H. Richardson, Christian C. Deonier, and William A. Simanton ... 59–78
Iron content of avocado fruits, experiments ... 678
Irradiation, ultraviolet, comparison with cod-liver oil as source of vitamin D for confined laying hens. Ralph B. Nestler ... 571–582

JENKINS, ANNA E., and BITANCOURT, AGESILAU A.: Sweet Orange Fruit Scab Caused by *Elsinoë australis* ... 1–18
Jimsonweed, carbon dioxide utilization, determination ... 322, 336, 337
JONES, E. W.: Practical Field Methods of Sampling Soil for Wireworms ... 123–134
JONES, LEON K., and JOHNSON, FOLKE: Two Mosaic Diseases of Peas in Washington ... 629–638
JOHNSON, FOLKE, and JONES, LEON K.: Two Mosaic Diseases of Peas in Washington ... 629–638
JOHNSON, JAMES: Factors Relating to the Control of Ordinary Tobacco Mosaic ... 239–273

Kale, selenium and sulphur content determinations ... 602–608
Kerosene emulsions, toxicity to chinch bug, experiments ... 61, 62, 66, 72
KRAUS, JAMES E., ROBERTS, R. H., and LIVINGSTON, NORMAN: Carbon Dioxide Exchange Rhythm and Fruitfulness in Plants of Different Reproductive Habits ... 319–343

Lambs—
feeding on cereal hays, digestion studies ... 409–412
growing, rations for, relative efficiency of protein in supplemented by soybean-oil meal, linseed meal, or corn-gluten meal. John I. Miller, F. B. Morrison, and L. A. Maynard ... 437–448
LARMER, F. G.: Keeping Quality of Sugar Beets as Influenced by Growth and Nutritional Factors ... 185–198
LAUDE, H. H.—
Cold Resistance of Winter Wheat, Rye, Barley, and Oats in Transition from Dormancy to Active Growth ... 899–917
Comparison of the Cold Resistance of Several Varieties of Winter Wheat in Transition from Dormancy to Active Growth ... 919–926
Leaf spot disease—
of red and white clovers. Oliver F. Smith ... 591–599
See also under host.
LEFEBVRE, C. L., ELLIOTT, CHARLOTTE, MELCHERS, L. E., and WAGNER, F. A.: Pythium Root Rot of Milo ... 797–834
Legume plants, vegetative stages in relation to chemical composition ... 402–404
Legumes, selenium and sulphur content, determinations ... 602–608
Lemons, ascorbic acid content, comparison with other citrus fruits ... 689–693
Light, relation to diurnal cycle of sporulation of certain downy mildews. C. E. Yarwood ... 365–373
Limequats, ascorbic acid content, comparison with other citrus fruits ... 689–693
Limes, ascorbic acid content, comparison with other citrus fruits ... 689–693
Linseed-meal supplement for protein in rations, relative efficiency for growing lambs. John I. Miller, F. B. Morrison, and L. A. Maynard ... 437–448
LISTER, PAUL B., and SCHUMACHER, FRANCIS X.: The Influence of Rainfall upon Tuft Area and Height Growth of Three Semidesert Range Grasses in Southern Arizona ... 109–121
LIVINGSTON, NORMAN, ROBERTS, R. H., and KRAUS, JAMES E.: Carbon Dioxide Exchange Rhythm and Fruitfulness in Plants of Different Reproductive Habits ... 319–343
LONGLEY, A. E.: Morphological Characters of Teosinte Chromosomes ... 835–862
Lubricating-oil emulsions, toxicity to chinch bug, experiments ... 71, 72
Lysine, value as supplement to hegari in feeding farm animals ... 138–140, 145

Page

MCCULLOCH, LUCIA: Bacterial Leaf Spot of Begonia ... 583–590
MACKINNEY, ARLAND L., SCHUMACHER, FRANCIS X., and CHAIKEN, LEON E.: Construction of Yield Tables for Normal Loblolly Pine Stands ... 531–545
Magnesium, content of avocado fruits, experiments ... 676
MAGRUDER, ROY, and ALLARD, H. A.: Bulb Formation in Some American and European Varieties of Onions as Affected by Length of Day ... 719–752
Maize—
chromosomes, knobs on, characteristics ... 853–861
extra chromosome, behavior studies ... 660–663, 665
meiosis, pairing failure and behavior of univalent chromosomes during ... 655–666
silks, first covariance of yield and time to, analysis. George W. Snedecor and Gertrude M. Cox ... 449–459
See also Corn.
Mammals—
age, effect on length of sexual cycle ... 423–424, 429
female, sexual cycle, analysis of variation ... 417–432
Man, sexual cycle, analysis of variation, statistics ... 418, 422, 424, 427–430
Manganese content of avocado fruits, experiments ... 678
Manure, influence on keeping quality of sugar beets ... 191–193, 197
Mastitis, chronic, in dairy cow, experimental study ... 200–220
MAYNARD, L. A., MILLER, JOHN I., and MORRISON, F. B.: Relative Efficiency for Growing Lambs of the Protein in Rations Supplemented by Soybean-Oil Meal, Linseed Meal, or Corn-Gluten Meal ... 437–448
Mealy plum aphid. *See* Plum aphid, mealy.
Meat scrap, value as supplement for hegari in feeding farm animals ... 143–144, 145
Meiosis, *Zea mays*, failure of diakinesis and metaphase pairing and behavior of univalent chromosomes during. LeRoy Powers and A. O. Dahl ... 655–668
MELCHERS, L. E., ELLIOTT, CHARLOTTE, LEFEBVRE, C. L., and WAGNER, F. A.: Pythium Root Rot of Milo ... 797–834
Melon, Honeydew—
phytophthora rot. C. M. Tompkins and C. M. Tucker ... 933–944
seed transmission of phytophthora rot disease, infection, tests ... 940
Metabolism, nitrogen, of crown gall and hairy root bacteria. H. A. Conner, W. H. Peterson, and A. J. Riker ... 621–628
Mexico, teosintes of, chromosomes, morphological characters ... 846–852
MEYER, H. ARTHUR, and SCHUMACHER, FRANCIS X.: Effect of Climate on Timber-Growth Fluctuations ... 79–107
Mice, field—
abundance, forecasting ... 788–789
cyclic increase, factors responsible ... 783–785
decrease, factors responsible ... 785–788
population cycles—
biology ... 779–789
periodicity, data ... 779–780
population estimates ... 781–783
Microtine cycles, biology. W. J. Hamilton, Jr ... 779–790
Microtus pennsylvanicus—
population cycles, biology ... 779–789
See also Mice, field.
Mildew, downy, of—
grape, sporulation, effect of light on ... 371
hop—
diurnal cycle ... 366–367, 369–370
sporulability induced by exposure to light ... 370–371, 372–373
sporulation, factors affecting ... 367–368, 371–373
lettuce, sporulation, effect of light on ... 371
onion—
diurnal cycle ... 368, 369–370
sporulability induced by exposure to light ... 370–371, 372–373
sporulation, effect of time of day ... 368–369, 371–373
Mildews, downy, certain, sporulation, relation of light to diurnal cycle of. C. E. Yarwood ... 365–373

Milk— Page
abnormal composition, production by animals free from udder streptococci. E. G. Hastings and B. A. Beach ... 199–220
skim, dried, value as supplement for hegari in feeding farm animals ... 137–138, 141, 142, 144–145
MILLER, JOHN I., MORRISON, F. B., and MAYNARD, L. A.: Relative Efficiency for Growing Lambs of the Protein in Rations Supplemented by Soybean-Oil Meal, Linseed Meal, or Corn-Gluten Meal ... 437–448
Milo—
pythium root rot of—
Charlotte Elliott, L. E. Melchers, C. L. Lefebvre, and F. A. Wagner ... 797–834
causal organism, studies ... 805–818
control ... 826–830
geographic distribution ... 800–802
history and symptoms ... 799–800
transmission methods ... 802–803
varietal resistance and susceptibility to *Pythium arrhenomanes*, tests ... 821–825
Milos susceptible to pythium root rot, behavior in greenhouse ... 803–805
Monkey, sexual cycle, analysis of variation, statistics ... 418, 422–424, 427–431
MORRISON, F. B., MILLER, JOHN I., and MAYNARD, L. A.: Relative Efficiency for Growing Lambs of the Protein in Rations Supplemented by Soybean-Oil Meal, Linseed Meal, or Corn-Gluten Meal ... 437–448
Mosaic diseases of peas, two in Washington. Folke Johnson and Leon K. Jones ... 629–638
Mouse—
cycles, forecasting, data ... 788–789
field. *See* Mice, field.
Mustard, selenium and sulphur content, determinations ... 602–608

NESTLER, RALPH B.: Comparison of Cod-Liver Oil and Ultraviolet Irradiation as Sources of Vitamin D for Confined Laying Hens ... 571–582
Nicotiana—
glutinosa × *nicotiana tabacum* hybrid, susceptibility to tobacco virus, control investigations ... 240–271
hybrid, inoculation with tobacco mosaic, experiments ... 240–272
tabacum × *N. glutinosa* hybrid, susceptibility to tobacco virus, control investigations ... 240–271
Nicotine, toxicity to chinch bug, experiments ... 60–61, 62, 66, 71, 72, 74
Nitrogen—
balance experiments with rations for growing lambs ... 437–448
content of—
adult worker bees on protein-free diet. Nykola H. Haydak ... 791–796
avocado fruits, experiments ... 680
Grimes Golden apple spurs, determination ... 871–872
metabolism, of crown gall and hairy root bacteria. H. A. Conner, W. H. Peterson, and A. J. Riker ... 621–628
relation to yield of sugar-beet seed and to accompanying changes in composition of the roots. L. M. Pultz ... 639–654

Oat panicle, development. O. T. Bonnett ... 927–931
Oats—
chemical composition and nutritive value, as affected by plant maturity ... 401–413
cold resistance in transition from dormancy to active growth. H. H. Laude ... 899–917
Oil—
spraying apparatus, laboratory, description ... 387–389
sprays—
preparation and specifications ... 389–390
relative quantities of oil deposited upon paraffin-coated plates and upon plant foliage by. Lynn H. Dawsey, A. W. Cressman, and Julian Hiley ... 387–398
Onions, bulb formation in some American and European varieties as affected by length of day. Roy Magruder and H. A. Allard ... 719–752

Orange— Page
leaves—
diastatic activity as affected by time, temperature, pH, and certain zinc salts. W. B. Sinclair and E. T. Bartholomew ... 609–619
hydrogen-ion value, effect on diastatic activity, studies ... 610–613, 615–618
sweet, fruit scab—
caused by *Elsinoë australis*. Agesilau A. Bitancourt and Anna E. Jenkins ... 1–18
economic importance ... 5–6
geographic range ... 2–5
studies in South America ... 1–16
symptomatology ... 6–8
Orangequats, ascorbic acid content, comparison with other citrus fruits ... 689–693
Oranges, ascorbic acid content, comparison with other citrus fruits ... 689–693

Panicle, development in oats. O. T. Bonnett ... 927–931
Parasites, effect on field mouse populations ... 787–788
Pastures, botanical composition, determining by soil properties in West Virginia. R. R. Robinson ... 877–897
Pea mosaic—
enation, symptoms, description ... 629–630
severe, symptoms, description ... 630
viruses—
characters ... 636–637
host range ... 635–636
seed transmission, methods ... 630–635
Peas, mosaic diseases of, two in Washington. Folke Johnson and Leon K. Jones ... 629–638
PECHANEC, JOSEPH F., and PICKFORD, G. D.: A Comparison of Some Methods Used in Determining Percentage Utilization of Range Grasses ... 753–765
Pendulum, torsion, use in measurement of viscosity of eggs. J. V. Atanasoff and H. L. Wilcke ... 701–709
Pentosans, in resin glands of cotton embryo, localization. R. G. Reeves and J. O. Beasley ... 711–718
Peronospora destructor, cause of downy mildew of onion ... 365
PETERSON, W. H., CONNER, H. A., and RIKER, A. J.: The Nitrogen Metabolism of the Crown Gall and Hairy Root Bacteria ... 621–628
Phenol, toxicity, tests ... 469–476
Phoma betae, invasion of beet tissues, effect of phosphate on resistance ... 194–196, 197
Phosphate—
content of avocado fruits, experiments ... 676–678
influence on resistance of beet tissues to invasion by *Phoma betae* ... 194–196, 197
Phosphorus—
content of avocado fruits, experiments ... 681
influence on resistance of sugar beets to decay ... 193–194
Photoperiodism—
in American and European varieties of onions, experiments ... 722–751
See also Day length.
Phytomonas—
rhizogenes, nitrogen metabolism studies ... 621–627
tumefaciens, nitrogen metabolism studies ... 621–627
Phytophthora—
capsici—
cause of rot on Honeydew melon ... 933, 936–943
distribution and pathogenicity ... 939–940
growth temperature relations ... 933, 938–939
identity ... 936–938
isolation and relation to host tissue ... 936
transmission tests and host range ... 940–943
rot of Honeydew melon—
C. M. Tompkins and C. M. Tucker ... 933–944
cause ... 936–943
development, factors affecting ... 933
symptoms, description ... 933–936
Pichia alcoholophila, S and R forms, fermentation products of, comparison ... 147, 148, 149–153, 155, 157, 158
PICKFORD, G. D., and PECHANEC, JOSEPH F.: A Comparison of Some Methods Used in Determining Percentage Utilization of Range Grasses ... 753–765

Page

Pigeons, White King breed, squab production in, statistical study 235–237
Pigs, blood, absorption of hog-cholera virus, study 222–232
Pigweed, carbon dioxide utilization, determination 322, 339–340
Pimiento, transition region, anatomy and histology 695–700
Pine, loblolly—
  mortality and growth, effect of stand density on. E. M. Simmons and G. Luther Schnur 47–58
  nonnormal stands, construction of yield tables for. Arland L. MacKinney, Francis X. Schumacher, and Leon E. Chaiken 531–545
Pinus taeda. *See* Pine, loblolly.
Piperidine, toxicity to chinch bug, experiments 62, 66, 72
PLAKIDAS, A. G.: The Rosette Disease of Blackberries and Dewberries 275–303
Plant maturity of certain cereal hays, effect on chemical composition and nutritive value. Jerry Sotola 399–415
Plants—
  flowering and nonflowering, carbon dioxide exchange, determinations 333–340, 342
  growing, humidity- and temperature-control cabinet for. C. O. Grandfield and Frank J. Zink 503–508
  meiotic instability, discussion 664–665
  of different reproductive habits, carbon dioxide exchange rhythm and fruitfulness. R. H. Roberts, James E. Kraus, and Norman Livingston 319–343
Plasmopara viticola, cause of downy mildew of grape 365
Plates, paraffin-coated, quantities of oil deposited upon by oil sprays, comparison with quantities on foliage. Lynn H. Dawsey, A. W. Cressman, and Julian Hiley 387–398
PLATT, C. S.: A Statistical Study of Squab Production in the White King Breed 235–237
Plum aphid, mealy—
  feeding rate, effect of temperature 356–357
  growth, reproduction, feeding, and wing development in relation to climatic factors. Leslie M. Smith 345–364
  production of migrantes, relation to epigenetic factors 357–362
  reproduction, effect of temperature, studies 352–355
Poinsettia, carbon dioxide utilization, determination 322, 323, 333–335
Pollen-tube growth in barley, time factor in. Merritt N. Pope 525–529
POPE, MERRITT, N.: The Time Factor in Pollen-Tube Growth and Fertilization in Barley 525–529
Potassium—
  content of avocado fruits, experiments 674–675
  fish-oil soap emulsions—
    deposits on plant foliage and on paraffin-coated plates, comparison 390, 394–395
    toxicity to chinch bug, experiments 62–65, 70, 71–72
Potato—
  carbon dioxide utilization, determination 322, 324, 339
  resistance to scab—
    disease, nature of 310–313, 315
    study. Henry M. Darling 305–317
  seedlings, resistance to scab, experiments 307–310, 315
Poultry—
  feeding alfalfa leaf meal as source of vitamin A, experiments 559–566
  record-of-performance inspection, accuracy of trap-nest records 461–464
POWERS, LEROY, and DAHL, A. O.: Failure of Diakinesis and Metaphase Pairing and the Behavior during Meiosis of Univalent Chromosomes in *Zea mays* 655–668
POWICK, WILMER C.: Distribution of Hog-Cholera Virus among Fractions of Virus Blood 221–233

Page

Precipitation—
  effect on height and growth of semidesert range grasses in southern Arizona 109–121
  influence on forest tree growth 89–105
PRINGLE, EMMA M., and BAROTT, H. G.: Effect of Incubation Temperature on Time of Death of Chick Embryo and Relationship of Energy Metabolism to Mortality 465–468
Protein—
  concentrates, used in farm animal feeding, supplemental value, and biological value of proteins in hegari. Margaret Cammack Smith and Gladys Hartley Roehm 135–146
  in rations supplemented by soybean-oil meal, linseed meal, or corn-gluten meal, relative efficiency for growing lambs. John I. Miller, F. B. Morrison, and L. A. Maynard 437–448
Proteins—
  in hegari, biological value, and supplemental value of certain protein concentrates used in farm animal feeding. Margaret Cammack Smith and Gladys Hartley Roehm 135–146
  nutritive value in various rations for growing lambs 437–448
Pseudoperonospora humuli, cause of downy mildew of hop 365
Puccinia glumarum, effect on growth, water requirement, and yield of wheat and barley 375–383
PULTZ, L. M.: Relation of Nitrogen to Yield of Sugar-Beet Seed and to Accompanying Changes in Composition of the Roots 639–654
Pyrethrum, toxicity to chinch bug, experiments 61, 62, 63, 66, 71, 72, 74
Pythium—
  arrhenomanes—
    cause of root rot of milo, studies 806–833
    hosts, inoculation studies 818–820
    pathogenicity on milo, tests 811–817
    taxonomy and growth in culture 806–811
    vertical distribution and longevity in soil, study 817–818
  root rot of milo. Charlotte Elliott, L. E. Melchers, C. L. Lefebvre, and F. A. Wagner 797–834

Rainfall—
  effect on growth of forest trees 89–105
  influence upon tuft area and height of growth of three semidesert range grasses in southern Arizona. Paul B. Lister and Francis X. Schumacher 109–121
Range grasses, percentage utilization of, comparison of some methods used in determining. Joseph F. Pechanec and G. D. Pickford 753–765
Rape, selenium and sulphur content determinations 602–608
Rations, supplemented by soybean-oil meal, linseed meal, or corn-gluten meal, relative efficiency of protein in for growing lambs. John I. Miller, F. B. Morrison, and L. A. Maynard 437–448
REEVES, R. G., and BEASLEY, J. O.: Localization of Pentosans in the Resin Glands of the Cotton Embryo 711–718
Reproduction, in plants, relation to carbon dioxide exchange, experiments 319–342
RICHARDSON, CHARLES H., DEONIER, CHRISTIAN C., and SIMANTON, WILLIAM A.: The Toxicity of Certain Insecticides to the Chinch Bug 59–78
RIKER, A. J., CONNER, H. A., and PETERSON, W. H.: The Nitrogen Metabolism of the Crown Gall and Hairy Root Bacteria 621–628
ROBERTS, R. H., KRAUS, JAMES E., and LIVINGSTON, NORMAN: Carbon Dioxide Exchange Rhythm and Fruitfulness in Plants of Different Reproductive Habits 319–343
ROBINSON, R. R.: Soil Properties Determining the Botanical Composition of Pastures in West Virginia 877–897

Page

ROEHM, GLADYS HARTLEY, and SMITH, MARGARET CAMMACK: The Biological Value of the Proteins in Hegari and the Supplemental Value of Certain Protein Concentrates Used in Farm Animal Feeding 135–146
Rosette disease of—
blackberries—
and dewberries. A. G. Plakidas 275–303
See also *Rubus*, rosette disease.
dewberries. See *Rubus*, rosette disease.
Rotenone toxicity to—
chinch bug, experiments 62–63, 68, 71, 72, 76
goldfish, tests 469–476
Rubus—
rosette disease—
causal fungus, classification and nomenclature 279–280
description 277–278
distribution and economic importance 275–277
synonymy 275
spp. *See* Blackberries; Dewberries.
susceptibility to rosette disease 278–279
RUTHERFORD, MARJORIE B., and DANIEL, ESTHER PETERSON: Ascorbic Acid Content of a Number of Citrus Fruits 689–693
Rye—
chemical composition and nutritive value, as affected by plant maturity 401–413
cold resistance in transition from dormancy to active growth. H. H. Laude 899–917
selenium and sulphur content, determination 602–608

Saccharomyces—
aceris-sacchari, S and R forms, fermentation products of, comparison 147, 150, 153–155, 157–158
cerevisiae, S and R forms, fermentation products of, comparison 148, 149–153, 155–157, 158
Sagebrush, threetip, utilization, percentage of, determination methods 753–765
Scab, fruit. *See* under specific hosts.
SCHNUR, G. LUTHER, and SIMMONS, E. M.: Effect of Stand Density on Mortality and Growth of Loblolly Pine 47–58
SCHUMACHER, FRANCIS X.—
and LISTER, PAUL B.: The Influence of Rainfall Upon Tuft Area and Height Growth of Three Semidesert Range Grasses in Southern Arizona 109–121
and MEYER, H. ARTHUR: Effect of Climate on Timber-Growth Fluctuations 79–107
MACKINNEY, ARLAND L., and CHAIKEN, LEON E.: Construction of Yield Tables for Normal Loblolly Pine Stands 531–545
Season, effect upon sexual cycle of mammals 424, 427
Selenium absorption by crop plants, relation to their sulphur requirement. Annie M. Hurd-Karrer 601–608
Sexual cycle, analyses of variation in, and some of its component phases, with special reference to cattle. A. B. Chapman and L. E. Casida 417–435
Sheep, sexual cycle, analysis of variation, statistics 418, 422–425, 427–430
SIMANTON, WILLIAM A., RICHARDSON, CHARLES H., and DEONIER, CHRISTIAN C.: The Toxicity of Certain Insecticides to the Chinch Bug 59–78
SIMMONS, E. M., and SCHNUR, G. LUTHER: Effect of Stand Density on Mortality and Growth of Loblolly Pine 47–58
SINCLAIR, W. B., and BARTHOLOMEW, E. T.: Diastatic Activity of Orange Leaves as Affected by Time, Temperature, pH, and Certain Zinc Salts 609–619
SMITH, LESLIE M.: Growth, Reproduction, Feeding, and Wing Development of the Mealy Plum Aphid in Relation to Climatic Factors 345–364
SMITH, MARGARET CAMMACK, and ROEHM, GLADYS HARTLEY: The Biological Value of the Proteins in Hegari and the Supplemental Value of Certain Protein Concentrates Used in Farm Animal Feeding 135–146
SMITH, OLIVER F.: A Leaf Spot Disease of Red and White Clovers 591–599

Page

SNEDECOR, GEORGE W., and COX, GERTRUDE M.: Analysis of Covariance of Yield and Time to First Silks in Maize 449–459
Soaps, toxicity to chinch bug, experiments 61–65, 70–72, 74
Soil—
properties determining the botanical composition of pastures in West Virginia. R. R. Robinson 877–897
sampling for wireworms, practical field methods. E. W. Jones 123–134
Soils—
chemical properties, effect on botanical composition of pastures 881–887
pasture, in West Virginia—
botanical composition 879–881
chemical analyses 878–879
Sorghum, chromosomes, morphological characters, description 853
Sorgo, selenium and sulphur content, determinations 602–608
SOTOLA, JERRY: The Chemical Composition and Nutritive Value of Certain Cereal Hays as Affected by Plant Maturity 399–415
Soybean—
carbon dioxide utilization, determination 322, 339
oil meal—
supplement for protein in rations, relative efficiency for growing lambs. John I. Miller, F. B. Morrison, and L. A. Maynard 437–448
value as supplement for hegari in feeding farm animals 137
Soybeans, selenium and sulphur content, determination 602–608
Spinach, carbon dioxide utilization, determination 322, 338
Sporulation of downy mildews, diurnal cycle, relation of light to. C. E. Yarwood 365–373
Sprays, oil. *See* Oil sprays.
Squab production in White King breed, statistical study. C. S. Platt 235–237
Streptococci, udder, animals free from, production of milk of abnormal composition. E. G. Hastings and B. A. Beach 199–220
Streptococcus agalactiae in cow udders, effect on milk composition 199–220
Stripe rust. *See* under specific host.
Sucrose, utilization by sugar beet 648–649, 650–653
Sugar beet—
curly top virus movement in, effect of defoliation and darkness on 489–496, 497–498, 499–501
food translocation, correlation with movement of curly top virus. C. W. Bennett 479–502
plant—
invasion by curly top virus 480–482
response to nitrogen, chemical studies 644–652
utilization of carbohydrates 648–653
utilization of nitrogen 646–648, 651
utilization of sucrose 648–649, 650–653
root development, effect of nitrogen on 643–644
roots—
composition changes, relation of nitrogen to and to yield of seed. L. M. Pultz 639–654
sucrose content at harvest, correlation with yield of seed 650–653
seed—
quality, effect of nitrogen on 642
yield, effect of nitrogen fertilizer on, experiments 641–642
yield, relation of nitrogen to and to accompanying changes in composition of the roots. L. M. Pultz 639–654
top development, effect of nitrogen on 642–643
Sugar beets, keeping quality as influenced by growth and nutritional factors. F. G. Larmer 185–198
Sugar content of avocado fruits, experiments 672–673
Sugarcane, susceptibility to *Pythium arrhenomanes*, experiments 820
Sulphur—
content of avocado fruits, experiments 680–681
requirement of crop plants, relation to their selenium absorption. Annie M. Hurd-Karrer 601–608

Page

Sulphuric acid, in aqueous solution, use in controlling humidity ... 504, 506
Sunflower—
ornamental, carbon dioxide utilization, determination ... 322, 324, 336, 337
selenium and sulphur content, determinations ... 602–608
Superphosphate, influence on keeping quality of sugar beets ... 186–191
Swine, sexual cycle, analysis of variation, statistics ... 418, 421, 422–423, 425, 427–430

Tangelos, ascorbic acid content, comparison with other citrus fruits ... 689–693
Tangerines, ascorbic acid content, comparison with other citrus fruits ... 689–693
Tangor, ascorbic acid content, comparison with other citrus fruits ... 689–693
Temperature—
control—
cabinet for growing plants. C. O. Grandfield and Frank J. Zink ... 503–508
equipment for growing plants ... 505–506
effect on—
development of *Phytophthora capsici*. 933, 938–939
diastatic activity of orange leaves, studies ... 612–613, 617
growth of *Cercosporella rubi* comb. n. ... 283–285
growth of clover leaf spot fungus ... 597
pathogenicity of clover leaf spot fungus ... 597
winter wheat, rye, barley, and oats in transition from dormancy to active growth ... 899–915
incubation, effect on time of death of chick embryo and relationship of energy metabolism to mortality. Emma M. Pringle and H. G. Barott ... 465–468
relation to development and reproduction of mealy plum aphid ... 348–355
Teosinte—
chromosomes—
knobs on, characteristics ... 853–861
morphological characters. A. E. Longley ... 835–862
Florida, chromosomes, morphological characters ... 839–843
Guatemalan, chromosomes, morphological characters ... 843–845
Mexican, chromosomes, morphological characters ... 846–852
Timber-growth fluctuations, effect of climate on. Francis X. Schumacher and H. Arthur Meyer ... 79–107
TITUS, HARRY W., and HEYWANG, BURT W.: Alfalfa Leaf Meal as a Source of Vitamin A for Growing Chicks ... 559–569
Tobacco—
carbon dioxide utilization, determination ... 322, 324, 340–341
curly-top virus movement in, effect of defoliation and darkness on ... 485–489, 497–501
field refuse, survival of mosaic virus in ... 250–253, 270–271, 272
food translocations, correlation with movement of curly-top virus. C. W. Bennett ... 479–502
harvested, survival of mosaic virus in ... 243–245, 271
infection by mosaic virus ... 256–264, 270–271
mosaic—
course of development ... 242–243
ordinary, control, factors relating to. James Johnson ... 239–273
virus, infection and dissemination ... 256–269, 270–271, 272
virus, survival studies ... 243–256
stems, curly top virus movement upward and downward, rate ... 482–485, 497–501
TOMPKINS, C. M., and TUCKER, C. M.: Phytophthora Rot of Honeydew Melon ... 933–944
Torsion pendulum, use for measurement of viscosity of eggs. J. V. Atanasoff and H. L. Wilcke ... 701–709
Trap-nest records, accuracy, criterion for testing. Walter A. Hendricks ... 461–464
Trees, forest, growth—
annual data ... 80–89
fluctuations, effect of climate ... 79–107
influence of precipitation ... 89–105
Trifolium spp. *See* Clover; Clovers.

Page

Tripsacum spp., chromosomes, morphological characters ... 852–853
Tryptophane, value as supplement to hegari in feeding farm animals ... 138–140, 145
TUCKER, C. M., and TOMPKINS, C. M.: Phytophthora Rot of Honeydew Melon ... 933–944

Udder streptococci, animals free from, production of milk of abnormal composition. E. G. Hastings and B. A. Beach ... 199–220
Ultraviolet irradiation, comparison with cod-liver oil as source of vitamin D for confined laying hens. Ralph B. Nestler ... 571–582

VAN WAGENEN, A., HALL, G. O., and WILGUS, H. S., Jr.: Variations in Egg-Quality Characters in Certain Breeds, Varieties, and Strains of Chickens ... 767–777
Virus—
curly top, movement, correlation with translocation of food in tobacco and sugar beet. C. W. Bennett ... 479–502
hog-cholera, distribution among fractions of virus blood. Wilmer C. Powick ... 221–233
tobacco mosaic, survival and relationships ... 239–272
Viruses, pea mosaic, characters, host range, and seed transmission ... 630–637
Vitamin—
A, for growing chickens, alfalfa leaf meal as source. Burt W. Heywang and Harry W. Titus ... 559–569
D, for confined laying hens, comparison of cod-liver oil and ultraviolet irradiation as sources. Ralph B. Nestler ... 571–582
G, supplements in basal diet of growing chicks, experiments ... 563–566, 569
Voles, population cycles, biology ... 779–789

WAGNER, F. A., ELLIOTT, CHARLOTTE, MELCHERS, L. E., and LEFEBVRE, C. L.: Pythium Root Rot of Milo ... 797–834
WALTER, JAMES M.: Variation in Mass Isolates and Monoconidium Progenies of *Ceratostomella ulmi* ... 509–523
Washington, two mosaic diseases of peas in. Folke Johnson and Leon K. Jones ... 629–638
West Virginia, pastures in, botanical composition, soil properties determining. R. R. Robinson ... 877–897
Wheat—
growth and yield, effect of *Puccinia glumarum* on, experiments ... 377–384
selenium and sulphur content, determination ... 602–608
stripe rust, influence on growth, water economy, and yield. Wayne M. Bever ... 375–385
varieties—
chemical composition and nutritive value of as affected by plant maturity ... 399–413
cold resistance studies ... 920–925
winter, cold resistance—
in transition from dormancy to active growth. H. H. Laude ... 899–917
of several varieties in transition from dormancy to active growth, comparisons. H. H. Laude ... 919–926
Wheatgrass, bluebunch, utilization, percentage of, determination methods ... 753–765
WICKERHAM, L. J., and FABIAN, F. W.: Products of Fermentation of the S and R Forms of Yeasts ... 147–158
WILCKE, H. L., and ATANASOFF, J. V.: Measurement of the Viscosity of Eggs by the Use of a Torsion Pendulum ... 701–709
WILGUS, H. S., JR., VAN WAGENEN, A., and HALL, G. O.: Variations in Egg-Quality Characters in Certain Breeds, Varieties, and Strains of Chickens ... 767–777
WILHELM, L. A., and HEIMAN, VICTOR: Relationship between Yelk Index, Percentage of Firm White, and Albumen Index ... 551–557
Willia anomala, SR and R forms, fermentation products of, comparison ... 148, 149–153, 155, 157
Wireworms, sampling soil for, practical field methods. E. W. Jones ... 123–134
WOKE, P. A., and BABERS, FRANK H.: Digestive Enzymes in the Southern Armyworm ... 547–550

75/5

	Page
YARWOOD, C. E.: The Relation of Light to the Diurnal Cycle of Sporulation of Certain Downy Mildews	365-373
Yeast forms, S and R, fermentation products of. F. W. Fabian and L. J. Wickerham	147-158
Yeasts, ester production, influence of oxygen on	156
Yield tables, construction for nonnormal loblolly pine stands. Arland L. MacKinney, Francis X. Schumacher, and Leon E. Chaiken	531-545
Zea mays—	Page
meiosis, failure of diakinesis and metaphase pairing and behavior of univalent chromosomes during. LeRoy Powers and A. O. Dahl	655-668
See also Corn; Maize.	
Zinc salts, effect on diastatic activity of orange leaves, studies	609, 613-618
ZINK, FRANK J., and GRANDFIELD, C. O.: A Humidity- and Temperature-Control Cabinet for Growing Plants	503-508

○